

Food safety information





Contents

Accreditation	2
Quality system procedures	2
Food safety Australia and New Zealand	3
Allergen status	5
Intolerant substances	5
Material origin	5
Carbon dioxide	6
Sulphur dioxide	8
Oxygen	9
Nitrogen	10
Argon	11
Nitrous oxide	12
Mixture specifications	13

Food-grade gases are an effective and natural way of meeting rising demand for quality, variety and freshness in the food industry. Increasingly, consumers are looking for low or zero-additive alternatives to conventional preservation techniques.

Regardless of whether you operate a large food manufacturing facility, an airline, or a catering company, we are the partner of choice if premium quality, reliability and expert advice are important for your product and you.

Accreditation

As the leading supplier of industrial, food, medical, and special gases in the South Pacific, we aim to ensure the highest levels of quality in everything we do. BOC aims to continuously improve the quality of its products, services and customer experience. At the same time we strive to maintain a high level of safety and environmental protection.

For these reasons we have introduced an integrated management system covering all elements of quality and health, safety and environmental (HSE) processes and procedures in order to provide effective and efficient control of all our business activities. As part of a global group of companies, the same systems are in use throughout Linde worldwide, and their deployment helps us to achieve our HSE and quality policies.

The integrated management system has been developed to ensure compliance with all legal, contracted and elected HSE and quality management system elements including the Quality Management System standard ISO 9001:2015.

BOC's quality management system is audited by SAI Global allowing us to confirm the robustness of our systems. A multi-site certificate against the ISO 9001 standard covers our gas manufacturing, packaging and distribution activities as well as our front line Customer Service Centres.

QUALITY SYSTEM PROCEDURES

Non-conforming product

Procedures exist for the correct processing and disposal of non-conforming products. The non-conformance is logged in an incident management system to ensure root cause is identified and corrective actions put in place. In the event of a product recall or withdrawal, traceability is provided to the individual cylinder allowing BOC to identify any affected containers.

Customer complaints are investigated through the same system to identify root cause in the case of a valid complaint.



Download BOC's latest
ISO 9001:2015
Accreditation Certificates

Scan the QR code or go to
boc.co.nz/ISO9001Certificates



Food safety Australia and New Zealand

Identity and purity

Section 1.1.1—15(1): Food additives, processing aids, nutritive substances and novel foods must comply with any relevant specification set out in Schedule 3.

Schedule 3 (identity and purity)

Specification listings for FSANZ compliance include:

Primary sources (Subsection 2)	Secondary sources (Subsection 3)
Combined Compendium of Food Additive Specifications (CCFAS)	British Pharmacopoeia Commission (BP)
Food and Agriculture Organisation of the United Nations (FAO)	United States Pharmacopoeia (USP)
United States Pharmacopoeial Convention Food Chemicals Codex (FCC)	Code of Federal Regulations (CFR)
Commission Regulation (EU) No 231/2012. (CR231)	

If there is no specification listed in subsection 2 or subsection 3, the substance must not contain more than 2mg/kg lead, 1mg/kg arsenic, 1mg/kg cadmium or 1mg/kg mercury.

Schedule 20 (maximum residue limits)

This outlines the maximum residue limit, expressed in milligrams per kilogram, when used with specified foods.

Sulphur dioxide	
Blueberries	≤ 10 mg/kg
Logan, edible aril	≤ 10 mg/kg
Strawberry	≤ 30 mg/kg ¹
Table grapes	≤ 10 mg/kg

¹ Temporary maximum residue limit

Food standards code compliance

Section of the food standards code	Carbon dioxide	Sulphur dioxide	Oxygen	Nitrogen	Argon	Nitrous oxide
Standard 1.5.2 — Food produced using gene technology	-	-	-	-	-	-
Standard 4.5.1 — Wine production requirements (AU only)	-	-	-	-	-	+
Schedule 3 — Identity and purity	-	-	-	-	-	-
Schedule 20 — Maximum residue limits	-	-	-	-	-	-

(+) = Not compliant, (-) = Compliant, (?) = Unknown



Allergen status

Allergen (including products or derivatives thereof)	Carbon dioxide	Sulphur dioxide	Oxygen	Nitrogen	Argon	Nitrous oxide
Cereals containing gluten including wheat, rye, barley, oats, spelt, kamut or their hybridised strains	-	-	-	-	-	-
Crustaceans	-	-	-	-	-	-
Eggs	-	-	-	-	-	-
Fish	-	-	-	-	-	-
Peanuts	-	-	-	-	-	-
Soybeans	-	-	-	-	-	-
Dairy, including milk	-	-	-	-	-	-
Nuts including almonds, hazelnuts, walnuts, pecans, brazil nuts, pistachios, and macadamias	-	-	-	-	-	-
Celery	-	-	-	-	-	-
Mustard	-	-	-	-	-	-
Sesame seeds	-	-	-	-	-	-
Sulphites including sulphur dioxide	-	+	-	-	-	-
Lupin	-	-	-	-	-	-
Molluscs	-	-	-	-	-	-
Corn	-	-	-	-	-	-

(+) = Present, (-) = Not present, (?) = Unknown

INTOLERANT SUBSTANCES

Substance (including substances or derivatives thereof)	Carbon dioxide	Sulphur dioxide	Oxygen	Nitrogen	Argon	Nitrous oxide
Animal products	-	-	-	-	-	-
Monosodium glutamate (MSG)	-	-	-	-	-	-
Synthetic colours or flavours	-	-	-	-	-	-

(+) = Present, (-) = Not present, (?) = Unknown

MATERIAL ORIGIN

Origin	Carbon dioxide	Sulphur dioxide	Oxygen	Nitrogen	Argon	Nitrous oxide
Genetically Modified Organisms (GMO), or derivatives	-	-	-	-	-	-
Bovine Spongiform Encephalopathy (BSE)	-	-	-	-	-	-
Transmittable agents of animal spongiform encephalopathy	-	-	-	-	-	-
Treated by ionising radiation	-	-	-	-	-	-

(+) = Present, (-) = Not present, (?) = Unknown

Carbon dioxide

Composition

Component	Formula	Unit	Bulk 214BLK	Packaged	
				214 Food Fresh®	245 Fresh Pak
Carbon dioxide	CO ₂	%	≥ 99.9	≥ 99.8	≥ 99.8
Moisture	H ₂ O	ppm	≤ 20	≤ 80	≤ 80
Oxygen	O ₂	ppm	≤ 30	-	≤ 20
Total hydrocarbon as CH ₄	-	ppm	≤ 50	≤ 60	-
Inerts	N ₂ + Ar	ppm	≤ 100	-	-
Nitrogen oxides	NO _x	ppm	≤ 2.0	-	-
Sulphur dioxide	SO ₂	ppm	≤ 1.0	-	-
Total other sulphur (H ₂ S, COS, mercaptans)	-	ppm	≤ 0.1	≤ 0.05	≤ 0.05
Total non-methane hydrocarbon as CH ₄	-	ppm	≤ 20	-	-
Non-volatile organic residue	-	ppm(w)	≤ 5	-	-
Non-volatile residue	-	ppm(w)	≤ 10	-	-
Methanol	CH ₃ OH	ppm	≤ 10	-	-
Carbon monoxide	CO	ppm	≤ 5	-	-
Ammonia	NH ₃	ppm	≤ 2.5	-	-
Hydrogen cyanide	HCN	ppm	Not detected	-	-
Phosphine	PH ₃	ppm	≤ 0.3	-	-
Acetaldehyde	C ₂ H ₄ O	ppm	≤ 0.2	-	-
Total aromatic hydrocarbon (benzene/toluene)	-	ppm	≤ 0.02	-	-
Taste/odour/appearance in water	-	-	Nil	-	-
Odour and appearance of solid	-	-	Nil	-	-
Cylinder colour scheme					



Nominal specification only.

Download BOC's latest
FSSC:22000 and HACCP
Accreditation Certificates

Scan the QR code or go to
boc.co.nz/HACCPCertificates
boc.co.nz/FSSCCertificates



FSSC:22000



FSANZ

Allocated INS. No. 290
Defined as a food additive [See § 1.1.2—11(2)(a)(ii)]
Listed in schedule 16—2
Additive permitted at GMP

HACCP

BOC is audited by Bureau Veritas and holds HACCP certification for the storage, distribution, receipt, filling and holding of cylinders for carbon dioxide

- Critical Control Points (CCP's) are identified and controlled
- Standard operating procedures exist for all steps in the process

FSSC:22000

BOC is audited by SAI Global and holds FSSC:22000 certification for the production of liquid carbon dioxide.

Religious dietary acceptance

Carbon dioxide is produced by a variety of methods, including fermentation of organic substances. The gases produced are purified and tested to ensure no taste remains, however alcohols may be present during the manufacturing process. Carbon dioxide is generally regarded as organic.

Kosher status

Rav Shlomo Zalman Auerbak, zt"l paskens that carbon dioxide produced by *Chamets* fermentation is not *Chamets* and thereby permitted on *Pesach*. However, some choose to view this as *Chamets* and therefore may not be permissible on *Pesach*.

Halal status

Animal products are not used in any part of the process or production of carbon dioxide. Alcohols that may have been present in the manufacturing process are removed by purification however trace alcohols may remain.



Looking for a Safety Data Sheet?

Scan the QR code or search by SDS number online
<http://www.boc.co.nz/sds>

SDS # 0098



Sulphur dioxide

Composition

Component	Formula	Unit	Packaged 172 Cylinders
Sulphur dioxide	SO ₂	%(w)	≥ 99.9
Moisture	H ₂ O	ppm(w)	≤ 200
Acidity as sulphuric acid (H ₂ SO ₄)	-	ppm(w)	≤ 50
Non-volatile residue	-	ppm(w)	≤ 200
Colour	-	-	Clear
Selenium	Se	mg/kg	≤ 20
Lead	Pb	mg/kg	≤ 5

Cylinder colour scheme



Nominal specification only.

FSANZ

Allocated INS. No. 220
 Defined as a food additive [See § 1.1.2—11(2)(a)(i)]
 Listed in schedule 15—5
 Additive permitted at 350mg/kg maximum residue level

Religious dietary acceptance

Sulphur dioxide is produced by burning sulphur in an oxygen atmosphere. The process does not contain any animal products or come into contact with organic substances.

Kosher status

Sulphur dioxide does not come into contact with any non-kosher substances in the course of production and packaging and therefore meets kosher (Mehadrin) requirements for all year including Passover days. The manufacturing process is certified Kosher however repackaging is not covered by this certification.

Halal status

Animal products and/or intoxicants are not used in any part of the process or production of sulphur dioxide.



SDS # 0077



www.boc.co.nz/sds

Oxygen

Composition

Component	Formula	Unit	Packaged	272
			101	Food Fresh® High Oxygen
			Food grade	
Oxygen	O ₂	%	≥ 99.5	80 ± 5%
Moisture	H ₂ O	ppm	–	–
Argon	Ar	ppm	–	–
Carbon dioxide	CO ₂	ppm	–	Balance
Carbon monoxide	CO	ppm	–	–

Cylinder colour scheme



Nominal specification only.

FSANZ

Allocated INS. No. 948
 Defined as a processing aid [See § 1.1.2—13(3)(a)]
 Listed in schedule 18—2

Religious dietary acceptance

Oxygen is produced by the cryogenic distillation of liquefied atmospheric air.

Kosher status

Oxygen does not come into contact with any non-kosher substances in the course of production and packaging and therefore meets kosher (Mehadrin) requirements for all year including Passover days. BOC does not hold kosher certification.

Halal status

Animal products and/or intoxicants are not used in any part of the process or production of oxygen.



SDS # 0053



www.boc.co.nz/sds

Nitrogen

Composition

Component	Formula	Unit	Bulk 157BLK	Packaged 152 Nitrogen 4.0
Nitrogen	N ₂	%	≥	≥ 99.99
Oxygen	O ₂	ppm	99.99	≤ 10
Carbon dioxide + Carbon compounds	-	ppm	-	-
Carbon monoxide	CO	ppm	-	-
Moisture	H ₂ O	ppm	-	≤ 25
Traces of non-specified constituents of air including rare gases	-	-	Balance	-
Cylinder colour scheme				



Nominal specification only.

FSANZ

Allocated INS. No. 941
 Defined as a food additive [See § 1.1.2—11(2)(a)(ii)]
 Listed in schedule 16—2
 Additive permitted at GMP

Religious dietary acceptance

Nitrogen is produced by the cryogenic distillation of liquefied atmospheric air.

Kosher status

Nitrogen does not come into contact with any non-kosher substances in the course of production and packaging and therefore meets kosher (Mehadrin) requirements for all year including Passover days. BOC does not hold kosher certification.

Halal status

Animal products and/or intoxicants are not used in any part of the process or production of nitrogen.



SDS # 0041



www.boc.co.nz/sds

Argon

Composition

Component	Formula	Unit	Packaged
			130 Argon 4.0
Argon	Ar	%	≥ 99.99
Oxygen	O ₂	ppm	≤ 10
Nitrogen	N ₂	ppm	≤ 25
Moisture	H ₂ O	ppm	≤ 10

Cylinder colour scheme



Nominal specification only.

FSANZ

Allocated INS. No. 938

Defined as a processing aid [See § 1.1.2—13(3)(a)]

Listed in schedule 18—2

Religious dietary acceptance

Argon is produced by the cryogenic distillation of liquefied atmospheric air.

Kosher status

Argon does not come into contact with any non-kosher substances in the course of production and packaging and therefore meets kosher (Mehadrin) requirements for all year including Passover days. BOC does not hold kosher certification.

Halal status

Animal products and/or intoxicants are not used in any part of the process or production of argon.



SDS # 0118



www.boc.co.nz/sds

Nitrous oxide

Composition

Component	Formula	Unit	Packaged 263 Food grade
Nitrous oxide	N ₂ O	%	≥ 99.5
Total oxides of nitrogen (NO + NO ₂)	O ₂	ppm	–
Carbon dioxide	CO ₂	ppm	–
Carbon monoxide	CO	ppm	–
Moisture	H ₂ O	ppm	≤ 50

Cylinder colour scheme



Nominal specification only.

FSANZ

Allocated INS. No. 942
 Defined as a food additive [See § 1.1.2—11(2)(a)(ii)]
 Listed in schedule 16—2
 Additive permitted at GMP

Religious dietary acceptance

Nitrous oxide is produced via the decomposition of ammonium nitrate.

Kosher status

Nitrous oxide does not come into contact with any non-kosher substances in the course of production and packaging and therefore meets kosher (Mehadrin) requirements for all year including Passover days. BOC does not hold kosher certification.

Halal status

Animal products and/or intoxicants are not used in any part of the process or production of nitrous oxide.



SDS # 0108

















www.boc.co.nz/sds

Mixture specifications

BOC's range of CELLAMIX®, MULTIMIX® and Food Fresh® gases are produced using a combination of food grade raw materials. The gases are mixed using the latest technology, ensuring you get a consistent mixture each and every time.

Composition


Component	Formula	Unit	Packaged						
			320 CELLAMIX® 20	093 CELLAMIX® 30	096 CELLAMIX® 60	138 CELLAMIX® 80	270 Food Fresh® 30	271 Food Fresh® 50	273 Food Fresh® 70
Carbon dioxide	CO ₂	%	20 ± 5%	30 ± 5%	60 ± 5%	80 ± 10%	30 ± 5%	50 ± 5%	70 ± 10%
Nitrogen	N ₂	%	Balance	Balance	Balance	Balance	Balance	Balance	Balance
Cylinder colour scheme	-	-							
Safety data sheet	-	-							
			SDS # 0030	SDS # 0030	SDS # 0030	SDS # 0030	SDS # 0277	SDS # 0277	SDS # 0277

Nominal specification only.

Download Certificates of Conformance for your cylinders today

- 1 Log in to your online account
- 2 In My Account, go to Product Certificates and enter the cylinder barcode and delivery docket number
- 3 Click download

[Register for an online account >](#)



Certificate of Conformance

Inspection lot: 04000004490
Date of manufacture: 08/04/2019
Cylinder size: G2
Issued by: BOC Limited
Fill pressure: 200.000 BAR
A.S.N.: 910801209 729
Nominal volume: 8.800 M3
Address: North Hyde NSW 2113
Cylinder barcode: 9202676434
Australia
Valve type: AS 2473.2 TYPE 10
Email: contact@doc.com
Telephone: 131 262

Material code: 220G2
Description: HELIUM UHP G2 SIZE STL

To reorder call 131 262 and quote the material code above.

The above described product conforms to the below specifications at time of manufacture.
All results expressed in this report are on a mole/mole basis, unless otherwise stated.

Component	Specification
Oxygen	< 2 ppm
Nitrogen	< 4 ppm
Moisture	< 2 ppm

Always refer to the safety sheet(SDS) below before use.
File: /media/chemicals/entry/company/9202676434/9202676434_001.pdf
File: /media/chemicals/entry/company/9202676434/9202676434_001.pdf


This document is valid without signature. Page 1 of 1 pages

For more information contact BOC on:

BOC New Zealand
0800 111 333

BOC Limited
NZBN 9429040953946

988 Great South Road
Penrose, Auckland
New Zealand



BOC is a trading name of BOC Limited, a subsidiary of Linde plc. © BOC Limited 2024. Reproduction without permission is strictly prohibited. Details given in this document are believed to be correct at the time of printing. Whilst proper care has been taken in the preparation, no liability for injury or damage resulting from its improper use can be accepted.