

## **Linde (Thailand) Public Company Limited**



269 SUKHUMVIT ROAD, MAPTAPHUT, AMPHUR MUANG, RAYONG 21150 THAILAND TEL.: (66) 2 3386100, E-mail: lindelaboratory.th@linde.com

						TESTING 0689
CERTIFICATION OF ANALYSIS						
( CO2 MEDICAL SPECIFICATIONS )						
REPORT DESCRIPTION :						
REPORT No. :				REPORT DATE	:	
ANALYSIS No. :				ANALYSIS DATE	:	
SERVICE ORDER AGREEMENT No. :				SAMPLE RECEIVED DATE		
EXPORT INVOICE No. or PO No. / DATE:				ANALYSIS BY		
CUSTOMER DESCRIPTION :				ANALISIS DI	•	
CUSTOMER DESCRIPTION:						
CUSTOMER NAME  CUSTOMER ADDRESS :						
TEL. No. / FAX. No.						
Attn. to :						
SAMPLE DESCRIPTION (By Customer) :				I		
SAMPLE TYPE :				SAMPLING RECEIVED IN		
SAMPLE POINT / LOCATION :				- Cylinder No. :	:	
SAMPLING DATE :				- Sampling Kit : Small Cylinder no	:	
SAMPLING TIME :				Beaker no.	:	
SAMPLING BY :				Sampling Bags no.	<u> </u>	
ANALYSIS DESCRIPTION :						
			ISBT			
TEST PARAMETER	UNIT	TEST METHOD	Reference	TEST RESULT	DL	SPECIFICATION
-	0		no.	1301 113021		0. 200
CO2 D :: (A )*	0/ /	71 01 1			00.00	14: 00.5
CO2 Purity (Assay)*	% v/v	Zahm & Nagel	ISBT 2.0		99.00	Min. 99.5
Moisture Content / Water (H2O)*	ppm v/v	Moisture Analyzer	ISBT 3.0		0.25 0.5	Max. 150 Max. 10.0
Carbon Monoxide (CO) Nitric Oxide (NO)*	ppm v/v ppm v/v	Inhouse method <sup>2</sup> Detector Tube	ISBT 5.0 ISBT 7.2		0.5	Max. 2.5
Nitrogen Dioxide (NO2)*	ppm v/v	Detector Tube	ISBT 7.2		0.1	Max. 2.5
Ammonia (NH3)*	ppm v/v	Detector Tube	ISBT 6.0		0.1	Max. 25
Hydrogen Sulfide	ppm v/v	Inhouse method <sup>4</sup>	ISBT 13.0		0.05	Max. 2.0
Sulfur Dioxide (SO2)*	ppm v/v	Gas chromatography	ISBT 14.0		0.05	Max. 1.0
Mercury*	mg/m3	Detector Tube	-		0.01	Not Detectable
Aromatic Hydrocarbon (Benzene)	ppm v/v	Inhouse method <sup>3</sup>	ISBT 12.0		0.005	Max. 0.02
Total Hydrocarbon (THC)(as CH4)*	ppm v/v	Gas chromatography	ISBT 10.0		0.15	Max. 50.0
Methanol (CH3OH)*	ppm v/v	Gas chromatography	ISBT 9.0		0.1	Max. 10.0
Acetaldehyde (C2H4O, or AA)	ppm v/v	Inhouse method <sup>5</sup>	ISBT 11.0		0.1	Max. 0.2
Note:  (1) Inhouse method WI-LAB08 based on International Society of Beverage Technologists (ISBT)- 4 <sup>th</sup> Revision, 01 Oct 2021, Procedure 10.0  (2) Inhouse method WI-LAB08 based on ASTM D8098-17.  (3) Inhouse method WI-LAB03 & WI-LAB07 based on International Society of Beverage Technologists (ISBT)- 4 <sup>th</sup> Revision, 01 Oct 2021, Procedure 12.0  (4) Inhouse method WI-LAB04 based on International Society of Beverage Technologists (ISBT)- 4 <sup>th</sup> Revision, 01 Oct 2021, Procedure 13.0  (5) Inhouse method WI-LAB05 based on International Society of Beverage Technologists (ISBT)- 4 <sup>th</sup> Revision, 01 Oct 2021, Procedure 11.0  (*) Test marked "Not TISI Accredited" in this certificate are not included in the TISI Accreditation Schedule for our laboratory.  - The reported uncertainty is an expanded uncertainty calculated using a coverage factor of k=2 which gives a level of confidence of approximately 95% DL = Detection Limit. nd = less than the detection Limit. ppm = parts per million. ppb = parts per billion. na = not available.  Review by:  (Thatchauaphan Thoramusongluang)						
(Thatchayaphan Thongmu	iengluang)				(Tippawa	an Pichetjumruscheep)
		▼				

Remark:

- Partial duplication of this certificate without documentary permission from Laboratory is prohibited.
   This certificate is valid only for the test and mentioned sample(s).
   The laboratory disclaims responsibility for The information is supplied by the customer and can affect the validity of results.
   The certificate that the results apply to the sample as received.
- The laboratory does not have a policy to reporting opinions, interpretations and statements of conformity.

   The laboratory disclaims in the report indicating which results may be affected by the deviation.